Dynamic balance



ineo+754e/654e

colour | 60 ppm monochrome | 75 / 65 ppm



Enhanced productivity for smarter business.

The ineo+ 754e Series from DEVELOP raises the bar in high-volume document production. Accelerate your business with high-speed print output that is enhanced by a range of new, intelligent functions, including direct print support for Microsoft Office X-series formats, and carbon copy printing. High-performance scanning makes it the ideal on-ramp for business communication, allowing you to share information with greater speed and flexibility. Scan speeds, up to 180 originals per minute, are complemented by an array of features including distribution programs, built-in OCR support allowing you to scan directly into searchable PDF and Microsoft Office formats, and more.

Intuitively usable: award-winning control panel design

Our INFO-Palette design has earned DEVELOP the 2012 Pick Award for "Outstanding Achievement in Control Panel Design" from BLI (Buyers Laboratory LLC). The ineo+ 754e Series incorporates the latest evolution of the INFO-Palette with enhanced multi-touch functionality, giving you faster, smoother and more responsive operation.

As easy to operate as familiar tablet devices, the enhanced 9" colour screen supports new gesture operations for navigation such as swipe, drag and drop, and long tap. Transparent pop-up menus prompt your next steps while letting you see through to the lower level, so you don't get lost in a maze of windows. A flick of your finger across the screen brings you the menu you want, enabling you to execute functions in a highly intuitive manner.

An on-screen keypad can be freely displayed as needed while an optional 10-button keypad for numerical entry can be fitted. Operators are alerted by new sound queues to verify that functions have been completed. Select from six types of sounds for functions such as incoming fax call alert, print complete notification, motion effects and more.

ineo+ 754e with staple finisher (FS-535), z-fold unit (ZU-606), post inserter (PI-505) and large capacity tray (LU-204)





ineo⁺ 654e with staple finisher (FS-535)



High speed performance for maximum productivity

Understanding the needs of high-volume central reproduction departments, the ineo⁺ 754e Series is built for speed in print/copy and scanning. B&W print/copy output speed of up to 75/60 ppm (754e) and 65/60 ppm (654e), B&W/colour respectively. Standard 100% duplex productivity means the rated engine speed is maintained even when printing two-sided.

Create rich, vivid, high-impact colour pages with brilliant full-colour photos and graphics with DEVELOP's exclusive Simitri® HD polymerized toner. True 1,200 dpi print resolution improves halftone definition and makes text more legible. Be assured of long-run output consistency with industry leading image stabilisation technology.

The introduction of new, intelligent print functions complements high speed output performance. Open Office XML Support lets you print and scan Microsoft Office X-series formats without the need for a print driver (scan optional). Print or save to USB flash memory devices as standard. Save time with Carbon Copy printing, allowing you to output the one print job from multiple paper trays when you require multiple copies of one document.

Streamline your workflow with a digitally ready device

A high speed dual scanning document feeder will handle originals at speeds of up to 180 originals per minute. But it's the array of scanning features that will introduce real value to any digital workflow.

This colour-scanning device can scan directly to Email, FTP, SMB, and WebDAV. Set up distribution programs to scan quickly to individuals, departments and workgroups. Further enhance productivity by adding an optional FK-511 Super G3 Fax Kit for high-volume, single or dual line centralised faxing.

A wide range of scan formats are available including PDF, compact PDF, PDF/A, Linear PDF, TIFF, JPEF, XPS, DOCX, XLSX, PPTX (some optional). Scan-to-PowerPoint converts hard copy documents to PowerPoint files allowing you to quickly generate presentation material. The optional Optical Character Recognition (OCR) engine activation will allow you to create searchable PDF and Microsoft Office files.



Direct support for print and scan of Microsoft Office X-series formats.

Maximise in-house productivity with advanced finishing options

Choose from a range of modular finishing options, customisable to suit your business needs. The FS-535 Staple Finisher provides 100-sheet 3-position stapling. Add the SD-512 Saddle-Stitch Unit to create booklets up to 80-pages or utilise its three types of folding – centrefold, half-fold, tri-fold. Add to it the PK-521 Punch Kit for selectable 2/4-hole punching at top or side. The ZU-606 Z-Fold Unit for folding large media, and the PI-505 Post Inserter allows you to add pre-printed media into the in-line finishing process.

The FS-534 Compact Staple Finishing provides 50-sheet stapling and accepts the SD-511 Saddle Stitch Unit to create booklets up to 80-pages and three types of folding functions. The PK-520 Punch Kit provides selectable 2/4-hole punching.

Wide ranging paper size and weight support for maximum print and copy flexibility

Print on thin 52gsm paper up to thick 300gsm cover stock and support for A5 media size up to SRA3 for A3 full-bleed originals, preserving margins and crop marks. A maximum paper capacity of 3,650 sheets is enough to handle document traffic on busy days with less reloading. A Large Capacity Tray can be added to two standard paper drawers plus a 150-sheet multiple bypass tray for maximum paper capacity.

Unique Tab Printing feature lets you print on tabbed pages from the bypass tray – you can even insert tab pages within the body of your document for producing complete packs. Proof Copy/Print lets you run off a test page to check your settings before starting your entire print run. Save time by outputting the same data continuously from multiple paper trays using Carbon Copy printing.



ineo+754e/654e: Intelligent. Smart. Intuitive.

Extensive functionality

The ineo+ 754e Series offers a wide range of standard and optional functions that are highly useful and simple to use.

High-class scanning performance

> High speed scanning up to 180 images per minute. It also offers a broad choice of scanning functions. You can directly scan a document into Word, Excel, and PowerPoint file types, or searchable PDF format so you no longer need to convert documents manually. Distribute scanned documents in a variety of ways, e.g. by sending them as emails or transferring them to a Windows folder or an FTP server. All this saves you a lot of time and effort in everyday office work!

New LK-110 i-Option

> The new LK-110 i-Option allows you to direct-print files attached to email messages by emailing direct to the device. Activate the internal OCR engine and create searchable files including Scan to Word/PowerPoint/ Excel, and transform incoming faxes to searchable PDF prior to e-distribution. Create PDF/A file types for archiving and Linearised PDF for fast web viewing when sharing your PDF files on the web.

Extensive finishing and media flexibility

 Functions such as booklet making, stapling, hole punching, banner printing and letter folding plus a broad choice of printable media ensure you can produce almost any kind of document.

Impressive printouts

> The print engine and innovative HD toner are finely tuned to deliver razor-sharp 1,200 dpi printouts and easily readable small type.

-excellent usability

-

1

2

3

4

Capacitive touchscreen

 With functions such as flick, drag-and-drop and pinch-to-zoom, the tiltable 9-inch colour screen is as simple to use as a smartphone or tablet. The control panel can also be customised for personalised ease of use.

DEVELO

ineo+754e

Convenient remote administration

> The system can be administered via any web browser from a desktop computer. Instant servicing is possible thanks to the display's remote operating function. What's more, you can mirror the machine's operating panel on an Android tablet via a dedicated app and then, for example, choose the settings for a print job even though the printer is somewhere else in the building.

Fast and efficient

Speed up your print workflow and eliminate unproductive waiting lines with a 22-second or less warm-up time and first-copy output in 6-seconds or less. Toner and paper can be replenished on-the-fly meaning your long print runs can continue uninterrupted.

Various authentication possibilities

 Secure access to the system is ensured through various means of authentication: passwords, finger-vein scanning and contactless smart cards.

Reassuring data security

> These days, any office system that is integrated into a company's network or has its own hard disk, has to be adequately protected, as does any piece of IT equipment. Thanks to security features such as IPsec, S/MIME email encryption and IP filtering every form of system communication or document transfer is entirely secure. All the data stored on the system's hard disk are also protected from unauthorised access by data encryption technology and, if required, data erasure. Reassuring security in line with international standards such as ISO 15408 EAL3 and IEEE 2600.1 – for your peace of mind!

Excellent eco-friendliness

> The system's low energy consumption, economical running costs and intelligent environmental concept have been rewarded by eco-certificates such as ENERGY STAR. And that kind of ecofriendliness is also good for your bottom line!

Enhanced security Simplified control

The ineo+ 754e Series is designed to meet the strictest security standards and will give you confidence that your documents are kept secure and in your control. The suite of ineo Utilities will help simplify IT management, saving you time and reducing your administration costs. Implement a mobile print and scan solution across your organisation with ineoprint from DEVELOP.

Intelligent innovations to save energy and protect the environment

Innovative power saving measures to achieve among the lowest power consumption rates in its class. Enhanced Sleep Mode puts greater sections of the device to sleep. ECO Scan Mode can be activated where scanning is the primary walkup function. Power-saving consumables and improved LED scanning lighting all help to save energy while serving business needs.

Reduce paper waste with the intelligent XPS Print Preview driver. Eliminate misprints and save paper by checking setting details, on-screen, before printing. It allows you to preview an almost precise image of the output, including stapling and hole-punch positions, to prevent output errors and paper wastage.

Simplify device administration with ineo Utilities

Device administration is simple with our suite of ineo Utilities, included with all A3 ineo devices.

- > Web Connection gives each machine its own internal website for fast access to device status information and settings, including counter readings, supplies levels, user and administrator settings and more.
- > Print Status Notifier provides automatic job status alerts to your desktop computer. For example, it will alert a user via a popup when their document has finished printing.
- > Data Administrator handles addresses, passwords and accounts with ease.
- > Box Operator lets you download and access User Box data from your PC.

Enhanced security for today's digital age


In a digital age, the security of electronic documents and devices is of the highest importance. The ineo⁺ 754e Series is certified to meet strict ISO 15408 EAL3 and IEEE 2600.1 security standards and offers an array of safeguards from standard pin-code authentication to advanced options like Biometric Authentication, card-based access such as: HID Proximity; iClass; Magnetic Strip; and more.

Standard support for Encrypted PDF protects the security of electronic documents as they pass through the network. And for maximum security of hard disk drive contents, HDD Sanitising can overwrite data in eight different modes so no sensitive information can be compromised when relocating or removing your ineo device from active deployment.

ineoprint from Develop: an innovative solution for the needs of today's mobile workforce

With business becoming increasingly more mobile, there is growing demand for greater flexibility in printing or scanning hardcopy documents. ineoprint, with its assortment of utilities, is an innovative solution that gives you greater freedom in printing, scanning and managing documents.

With ineoprint in your organisation's network environment, you'll enjoy all the convenience and flexibility of directly printing to, and scanning from, any iOS or Android mobile device.



ineo+ 754e/654e

GENERAL DATA

Type of machine

Console system (built-in scanner)

Printing / copying speed

ineo+ 754e

> A4: max. 60/75 ppm (colour / black & white)> A3: max. 30/37 ppm (colour / black & white)

ineo+ 654e

> A4: max. 60/65 ppm (colour/black & white)

> A3: max. 30/33 ppm (colour/black & white)

Print system

Laser

Gradation

256

Paper feeder

- > Standard: 3,650 sheet, max. 6,650 sheet
- > 2 x 500 sheet universal cassettes (A5-SRA3, 52-256 g/m²), 150-sheet bypass (A6-SRA3 and banner, 52-300 g/m²) for standard paper, envelopes, OHP, thick paper, banner paper
- > 1,000 sheet and 1,500 sheet cassettes (A4, 52–256 g/m²) for standard paper

Paper format

Max. 320 x 457 mm Max. 297 x 1,200 mm banner paper

Printable area

Max. 307 x 443 mm Max. 289 x 1,192 mm banner paper

Warm-up time

Print to win

Less than 22 seconds **Dimensions** (w x h x d) 650 x 1,155 x 799 mm (without options)

Weight Approx. 221 kg (without options)

Power 220–240 V / 50/60 Hz

PRINT SPECIFICATIONS

Controller

Standard: Embedded controller with 1.2 GHz Optional: Fiery controller IC–414 with 2.6 GHz

Memory

Standard controller uses system memory / hard disk (2,048 MB RAM/250 GB hard disk)

Resolution Max. 1,800 x 600 dpi (with Smoothing Technology) High quality mode: 1,200 x 1,200 dpi

DEVELOP

Distributed in Australia by:

ABN: 68 074 715 715

Service: 1300 787 877

www.imagetec.com.au

Sales: 13 COPY

Imagetec Solutions Australia Pty Ltd

Head Office: Level 1, 67 Epping Road, Macquarie Park NSW 2113

Svdnev • Brisbane • Melbourne • Adelaide • Perth

Network protocols

TCP/IP (IPv4/IPv6), IPX/SPX, SMB, x LPD, SNMP, HTTP, IPP, AppleTalk, EtherTalk

Emulation

PCL 5c, PCL 6, PS 3, XPS, OOXML Fiery IC-414: Adobe PS 3

Interfaces

Ethernet 10/100/1000 BaseT, USB 2.0

Driver

Windows XP/Vista/7/8, Windows Server 2003/ 2008/2012, Mac OS X 10.x, Linux, Unix, Citrix

Print functions

Direct Print of PCL, PS, TIFF, XPS, OOXML, PDF documents, Overlay, Cover page, Watermark, Mixmedia and Mixplex, Banner print

SCAN SPECIFICATIONS

Type of scanning

Scan to E-mail/FTP/iFAX/BOX/SMB/WebDAV/ to-me/Home, TWAIN-Scan

Resolution

Max. 600 dpi

Scanning speed

Max. 180 opm (colour/black & white)

Size of originals Max. A3

Scanning formats

TIFF, PDF, Compact PDF, JPEG, XPS, Compact XPS, PPTX, Linearised PDF optional: Searchable PDF, DOCX, PPTX, XLSX,

PDF/A (1a/1b)

2,100, LDAP-support

COPY SPECIFICATIONS

Document feeder

- > A6 to A3> Duplex document feeder
- (150 sheet, max. 210 g/m²)

Copy pre-selection

1 – 9,999 **Zoom**

25–400 % in 0.1 % increments

First A4 copy

5.3 / 3.7 seconds (colour/black & white) Memory

2 GB RAM

HDD

250 GB

Resolution

Print: 1,800 x 600 dpi (with Smoothing Technology)

Copier functions

Chapter and cover mode, test copy, colour image adjustment, creative mode, poster mode, book copy, glossy copy, ID card copy, watermark

FAX SPECIFICATIONS (OPTIONAL)

Compatibility

G3/Super G3, MH, MR, MMR, J-BIG/ECM, IPFAX (iFax standard)

Transfer rate/transfer speed

33.6 kBits/s, < 3 sec. ITU-No. 1

Fax memory

Uses system memory

Fax functions

Polling, time shift, PC-Fax, Receipt to confidential box, Receipt to E-mail, FTP, SMB

OPTIONS

- > Finisher with 100-sheet stapling, max. 3,200-sheet capacity
- > Optional for 100 sheet finisher: booklet kit (incl. letter and center fold), punch kit (2/4-hole), job separator, post insertion unit, z-fold & punch unit
- > Finisher with 50-sheet stapling, max. 3,200-sheet capacity
- > Optional for 50-sheet finisher: saddle kit, punch kit (2/4-hole)
- > Output tray (250 sheet)
- > Large capacity tray for 3,000 sheet (A4, 52–256 g/m²)
- > Large capacity tray for 2,500 sheets (A4–SRA3, 52–256 g/m²)
- > Keyboard holder
- > USB interface kit with bluetooth
- > Security kit
- > Banner tray
- > Fiery controller
- > Fax unit
- > Diverse user authentication solutions
- > Working table
- > Fax stamp kit for documents
- > i-Option (various additional functions)

Enterprise Suite, Data Administrator, Card

with many others (some optional).

solutions, SAP support, EveryonePrint, PCounter, Fiery Profiler Color Management, plus integration

magetec

SUBSTANCE MEETS SERVICE

- > WLAN adapter
- > 10-key Number Pad

SOFTWARE SOLUTIONS