IDEAL 2240

max.
13
sheets

← 22 cm →

Compact deskside shredder available in three shred sizes for the professional user. With automatic start/stop via a photo cell.

Level P-2	4 mm strip cut
Sheet capacity*:	11-13 9-11

Level P-4 3 x 25 mm particle cut
Sheet capacity*: 6-7 | 5-6


Level P-5 2 x 15 mm particle cut

Sheet capacity*: 4-5 | 3-4

Technical specifications

Volume	20 litres (shred bin)
Power	230 V / 50 Hz**
Motor capacity	150 Watt single phase motor

** other voltages available



Dimensions	452 x 345 x 215 mm (H x W x D)
Weight	6 kg / 7 kg (particle cut)
ID-No.	11223002

GS certificate-No. DP 10031

Product characteristics

Photo cell controlled automatic start and stop. Multifunction switch for stand-by / stop [off] / reverse. Pilot light. Transparent safety flap in the feed opening as additional safety element. High-quality, paper clip proof cutting shafts from special hardened steel with lifetime guarantee. Quiet, powerful and energy-efficient single phase motor. Double motor protection. Fully closed gear box housing and durable gears. Attractive shred bin from impact-resistant plastic. Practical handle for lifting off the shredder unit from the bin. Magnetic proximity switch for automatic stop if the shredder unit is removed from the bin (cross cut). Available as strip cut or cross cut model.



^{*} A4 paper 70 g/m² | 80 g/m²

IDEAL 2240

Features



SOLID STEEL CUTTING SHAFTS

Robust and durable: high-quality paper clip proof cutting shafts with lifetime guarantee under conditions of fair wear and tear.



SAFETY FLAP

The safety flap in the feed opening is an additional safety element to keep fingers, ties or other objects away from the cutting shafts.



MULTIFUNCTION SWITCH

Easy operation is guaranteed with the threeposition rocker switch for stand-by / stop (off) / reverse.



PRACTICAL HANDLE

A practical handle is integrated into the design for lifting off the shredder unit from the shred bin when full.















certificate no. **DP 10031** dated 25.09.2012



GS Test Certificate

Name and address of the holder of the certificate:

(customer):

Krug & Priester GmbH & Co. KG Simon-Schweitzer-Straße 34

72336 Balingen

Name and address of the

Manufacturer:

see above

Product designation: Paper Shredder

Type: 11221002, 11223002, 11227001

Testing based on: DIN EN 60950-1:2011-01+A12:2011-08

EN 60950-1:2006-04+A11:2009-03+A1:2010-03+A12:2011-02

IEC 60950-1:2005-12+AMD1:2009-12 Information technology equipment – Safety;

Part 1: General requirements

EN 12100-2:2004 Safety of machinery – Basic concepts, general principles for design; Part 2: Technical principles EN ISO 13857:2008 Safety of machinery – Safety distances to prevent hazard zones being

reached by upper and lower limbs

Remarks: This GS Test Certificate replaces the GS Test Certificate

DP 10031 dated 22.03.2010.

The type tested meets the requirements specified in article 21 para. 1 of the German Product Safety Act. The holder of the certificate is entitled to affix the GS mark shown overleaf to the products complying with the type tested. At that, the holder of the certificate shall observe the conditions specified overleaf.

The present certificate including the right to affix the GS mark is valid until: 21.03.2015

Further provisions concerning the validity, the extension of the validity and other conditions are laid down in the Rules of Procedure for Testing and Certification of August 2012.



Signature (Dipl.-Ing. Vogl)

Postal address: Postfach • D-65173 Wiesbaden • Office: Rheinstr. 6-8 • D-65185 Wiesbaden Phone: +49 (0) 611/131-8219 • E-Mail: pruefstelle-dp@bgetem.de 612.17-So/Ho • Test report: A 09194 • Produktschlüsselnummer: 001.1001