















d-COLOR

MF222 MF282 MF362 MF452 MF552

A world where everything goes faster, where solidity does not mean rigidity, where needs go beyond the basic functions of print/scan/ copy/fax is the ideal setting for the new Olivetti solutions that have been specially designed and developed to meet professional document management requirements of different job types in a modern office environment.



PRINT SPEED OF UP TO 55 PPM IN BLACK/WHITE AND COLOUR

INTEGRATED PRINT CONTROL WITH PCL6,

PS3, XPS, OPENOFFICE XML

OPTION OF INTEGRATION WITH MOBILE DEVICES

RAM 2GB AND HDD 250GB

INNOVATIVE I-OPTIONS TO ENABLE ADVANCED FUNCTIONS

OPTIONAL G3 FAX WITH I-FAX, IP-FAX, SIP-FAX FUNCTIONS

d-COLOR

MF222 MF282 MF362 MF452 MF552

COMPLETE RANGE TO MEET ALL REQUIREMENTS

With the introduction of the new "d-Color" A3 range, Olivetti has provided a complete line of products based on a shared philosophy and functionality.

Customers **can choose from 5 models** that have been designed to exceed expectations in terms of heavy work loads without losing functionality.

The d-Color MF222, d-Color MF282, d-Color MF362, d-Color MF452 and d-Color MF552 are equipped with tandem technology that can print 22/28/36/45/55 ppm respectively whether in colour or black and white. Scanning speeds can reach up to 80 ipm thanks to the automatic feeder system of the original DF-624 or can even reach **160 ipm** with the DF-701 automatic feeder that reads both sides simultaneously and that comes as standard on the 45 and 55 ppm models. Many of superb functions are shared by the whole range and have been inherited from the d-Color MF752 and d-Color MF652 such as 1200 x 1200 dpi printing resolution that directly manage Office documents (Excel, Word and Power Point), paper management up to **SR A3** format and many other types of product intended for use in reprographic studios.

The new "d-Color" family comes with the best tools for managing medium-large groups of work (with the d-Color MF222-282-362models) and for small production centres (with d-Color MF452-552) while always providing highly professional colour management.



Capacitive 9.5" control panel



Advanced security options and multiple authentication systems



INTUITIVE INTERFACE AND ATTRACTIVE DESIGN

Olivetti products feature a **revolutionary colour 9**" control panel that integrates all the multi-touch technology of the latest generation of smart phones. In effect, this panel becomes the access point for the functions of the machine guiding the user in the **generation/sharing/ archiving of the company's document flow**.

The menu can be customised to make processes more automatic; short cuts can be created for reaching various functions using a selected key or actions can be condensed into a single keystroke by saving macros.

The high resolution screen also lets you read documents saved to the 250GB hard disk and to see a preview of the document that is being processed.



Direct printing and scanning via USB for direct management of Microsoft Office formats

SUPERB FINISHING OPTIONS FOR CREATING PROFESSIONAL DOCUMENTS

The advanced printing functions of the new Olivetti models focus on the fully automatic production of professional documents. Thanks to the option of **choosing from 3 finishers, (4 for the MF552)** the user can always find the ideal solution for producing high quality documents (brochures, flyers, presentations, course materials etc..) The functionality of finishers can be further enhanced by using the optional modes for punching, for **producing booklets**, for the creation of "Z" folded documents or for sheet insertion, that also enables **offset document management**.

PRODUCTIVITY WITH NO LIMITS


d-Color MF222/282/362/452/552 models come with an integrated print controller for PCL6/PS3 emulation and XPS compatibility that can process most of the documents that are usually found in an office environment.

As they also support Microsoft Office Open XML, the machines can also print and save Microsoft Office documents such as docx, xlsx and pptx directly to and from USB memory sticks. Thanks to the internal Web server, such documents can also be saved/printed in cloud mode, accessing the archiving systems that reside on the company FTP for example. If PS3 emulation is not enough, Fiery printing with PS3 is also available (on the d-Color MF 282-362-452-552) as a print control system that in its native mode can manage colour profiles better and features a series of modes that graphic artists demand.





OPTIONS



- * Not available for the MF222 ** Also available for the MF452



d-Color MF222- MF282 - MF362




d-Color MF452 - MF552

TECHNICAL FEATURES

SYSTEM SPECIFICATIONS Paper feed capacity	MF222 Standard: 1.150	MF282 Standard: 1,150	MF362 Standard: 1.150	MF452 Standard: 1,150	MF552 Standard: 1,150			
raper reed capacity	Max: 3,650	Max: 3,650	Max: 3.650	Max: 6,650	Max: 6,650			
Max copy/print volume (tray)	80,000 pages	100,000 pages	125,000 pages	150,000 pages	200,000 pages			
Black toner duration	up to 27,000 pages	up to 27,000 pages	up to 27,000 pages	up to 27,500 pages	up to 27,500 pages			
CMY toner duration	up to 25,000 pages	up to 25,000 pages	up to 25,000 pages	up to 26,000 pages	up to 26,000 pages			
Image unit duration	up to 70,000 pages	up to 120,000 pages	up to 120,000 pages	up to 130,000 pages	up to 135,000 pages			
olack	(Drum)	(Drum)	(Drum)	(Drum)	(Drum)			
	up to 600,000 pages	up to 600,000 pages	up to 600,000 pages	up to 600,000 pages	up to 600,000 pages			
	(Developer)	(Developer)	(Developer)	(Drum/Developer)	(Drum/Developer)			
Image unit duration	up to 55,000 pages	up to 75,000 pages	up to 90,000 pages	up to 95,000 pages	up to 95,000 pages			
CMY	(Drum)	(Drum)	(Drum)	(Drum)	(Drum)			
	up to 600,000 pages	up to 600,000 pages	up to 600,000 pages	up to 600,000 pages	up to 600,000 pages			
	(Developer)	(Developer)	(Developer)	(Developer)	(Developer)			
System dimensions (LxBxH)	615 x 685 x 779 mm	615 x 685 x 779 mm	615 x 685 x 779 mm	650 x 685 x 921 mm	650 x 685 x 921 mm			
Weight	Approx 85 kg	Approx 85 kg	Approx 85 kg	Approx 101 kg	Approx 101 kg			
Automatic front and back	A5-SRA3; 52-256 gsm							
System memory	2048 Mb							
Hard disc	250 Mb							
nterface	10-Base-T/100-Base-T/1,000-Base-T Ethernet; USB 2.0							
Network protocols	TCP/IP (IPv4 / IPv6); IPX/SPX; NetBEUI; AppleTalk (EtherTalk); SMB; LPD; IPP; SNMP; HTTP							
Document feeder	RADF up to 80 ipm colour/b/w - 100 originals							
automatic	R-ADF, Dualscan ADF (optional)							
Paper format	A6-SRA3, customised paper format; Banner paper max 1.200 x 297 mm							
Paper density	52-300 gsm							
PRINTER								
Print resolution	1,800 equivalent x 600 dpi, 1,200 x 1,200 dpi							
Controller CPU Type	PowerPC MPC8536 @ 800 MHz							
Description language page	PCL 6c (PCL 5c + XL3.0), PostScript 3 (CPSI 3016), XPS							
Operating system	Windows 2000/XP/XP64, Windows VISTA 32/64, Windows 7 32/64, Server 2000/2003/2003x64/2008/2008x64/200 (R2) Macintosh 9.x /10.x Unix / Linux / Citrix							
Printing fonts	80x PCL Latin; 137x PostScript 3, Emulation Latin							
Printing functions	Direct print of PCL, PS, TIFF, XPS, PDF and encrypted PDF files, Mixmedia and Mixplex, "Easy Set" programming, Overlapping,							
· ·	Watermark, Copy protection							
SCANNER								
Scanning speed B/W and colour)	Up to 160 ipm							
resolution Scanning	Max.: 600 x 600							
Modes	Network TWAIN scan; scan-to-eMail (scan-to-Me); scan-to-FTP; Scan-to-SMB (scan-to-Home);							
	scan-to-Box; scan-to-WebDAV; scan-to-DPWS; scan-to-USB							
File formats	JPEG; TIFF; PDF; PDF/A 1a and 1b (optional); Compact PDF; Encrypted PDF; Searchable PDF (optional); XPS; Compact XPS; PPTX and Searchable PPTX (optional)							
Scan destinations	2,100 (single + group), I							

FINISHING OPTIONS



Z-fold

COPIER	MF222	MF282	MF362	MF452	MF552					
Copy/print speed	22	28	36	45	55					
A4 (B/W and colour)										
Copy/print speed	14	14	18	23	27					
A3 (B/W and colour)										
Front/back speed	22	28	36	45	55					
A4 (B/W and colour)										
Output time	7.5	5.8	5.3	4.8	4.1					
1st copy/print (B/W)										
Output time	11	7.7	6.9	6	4.6					
1st copy/print (colour)										
Printing process	Electrostatic laser	Electrostatic laser copy, Tandem indirect								
Toner type	,	Polymer toner, chemical								
Warm up time	Approx 20 (warm	Approx 20 (warm up times can vary with type of use)								
Copy resolution	600 x 600									
Gradations	256 gradations	256 gradations								
Original format	A5-A3	A5-A3								
Enlargement	25-400 % in steps of 0.1 %; Automatic zoom									
Copy function	Heading, inserting page and cover, test run (print and display), test run setting, creative digital functionality,									
	setting job memory, poster mode, image repeat, overlapping, watermarks, stamps, copy protection,									
	membership card copy									
USER BOX SPECIFICATION	I									
Max box memory	Up to 3,000 documents or 10,000 pages									
Type of box system	Public, Private (w	Public, Private (with password or authentication); Group (with authentication)								
Type of box system	Secure printing, E	Secure printing, Encrypted PDF printing, Fax receipt, Fax polling								
User box functionality	Reprint, combina	Reprint, combination, download, send (e-mail, ftp, smb and fax), box to box copy								
FAX										
Standard Fax	1 1	Super G3 (optional)								
Transmission Fax	Analogue; i-Fax;	Analogue; i-Fax; Colour i-Fax (RFC3949-C); IP-Fax; SIP-Fax								
Resolution Fax	Max.: 600 x 600	Max.: 600 x 600 (ultra-fine)								
Compression Fax	MH; MR; MMR; J	MH; MR; MMR; JBIG								
Modem Fax	Up to 33.6	Up to 33.6								
Destinations Fax	2,100 (single + gr	2,100 (single + group)								
Functions	Polling; Time shif	Polling; Time shift; PC-Fax; Reception in reserved boxes; Reception via email/FTP/SMB; up to 400 job programs								

Performance referring to product use in optimal conditions. The right to vary technical features is reserved. The registered brand names belong to their respective owners d-Color MF222/MF282/MF362/MF452/MF552 are distributed by Olivetti S.p.A. (10/12) - Code: 28863-00







