Color Digital Imaging System Accelerate Your Workflow



versatile

smart

SD Care

vibrant

Attention-grabbing color and efficient black-and-white in one compact system.

Today, organizations run lean and employees are expected to be smart, fast and versatile. The same holds true for MFPs. The RICOH® MP C2051/MP C2551 gives you all of that—and more. Powerful management tools make it easy to build and maintain highly productive workflows to streamline your document-related processes. Plus, a host of physical and logical security features give you multiple ways to protect your documents and your data. **Exceptional performance from features** such as internal finishing makes it a perfect system for centralized printing environments—so you can get rid of the hassle and expense of multiple personal printers and produce professional quality documents in-house.

RICOH

Aficio MP C2551

ReliableIntelligentInnovativeProductive

Smart System, Sustained Savings

The combination of timesaving technology and proven reliability all add up to an exceptionally low total cost of ownership.

- Keep every job on the fast track with reliable print speeds of up to 25 pages per minute.
- Use the productive duplexing feature to print two-sided documents. Get the double advantage of greatly reduced paper costs and more efficient document filing.
- Use less power without changing workflow. The innovative new color Quick Start-up (QSU) fusing system heats up quickly, using less electricity to do the same work and allows faster recovery time of less than 10 seconds from sleep mode where it only consumes 1 watt. All this leads to one of the lowest Typical Electricity Consumption (TEC) values in the industry.

Simplify Every Job for End-Users


Every task, from advanced scanning capabilities to paper replenishment, is fast and easy. End-users spend less time creating and managing documents and more time focusing on what they do best—helping you grow your business.

- Conserve valuable office space with a compact system that can be configured to meet your specific needs. You can even add in-line finishing capabilities with just a minimal increase to the system's footprint.
- Manage simple tasks or complex jobs easily with the 8.5" full-color LCD display. The intuitive display allows users to preview stored documents for accuracy prior to printing—and view animated guidance for operational assistance.
- Replenish paper and supply items quickly with a user-friendly design that includes overhand/underhand grips on paper trays and simplified, single-handed toner replacement.

True Simplicity Meets Real Power

The Ricoh Aficio MP C2051/MP C2551 offers the intelligence and processing power you need for fast, efficient and affordable network printing.


- Complete jobs of all sizes faster and easier with a 600 MHz processor, 1.5 GB RAM and a 160 GB Hard Disk Drive.
- Streamline and simplify print jobs with icon-driven Ricoh one-click, preset PCL6/PS3 user interface drivers as well as XPS and optional genuine Adobe® PostScript®3[™] drivers.
- Build a powerful, reliable network of Ricoh's Aficio MP C2051/MP C2551 with seamless integration for Windows, Macintosh, UNIX, AS/400 and other environments. Standard 10Base-T/100Base-TX Ethernet, USB 2.0 and SD Slot interfaces, as well as optional Gigabit Ethernet and wireless connectivity, are also available.



Scan a document and preview it on the convenient LCD color display panel before sending it to your pre-selected destination.



Print from mobile devices to HotSpot Printers. Simply forward e-mails from PDAs or Internet-enabled cell phones, with or without attachments, to the printer's e-mail address. No drivers required!



Create one-click, preset graphical icons to repeat a particular job at any time without having to reprogram the setup.

Save Space, Drive Productivity

A System Designed to Exceed Expectations

The Internal Shift-Sort Tray (optional) separates finished sets for easy pickup and delivery.



Create professionally finished documents completely in-house with the **500-Sheet Internal Finisher** and optional 2 & 3-hole punching.





Load scanned documents onto portable media using Scan-to-Media capabilities with the USB/SD card slot (optional). Print TIFF, PDF or JPEG files from the removable media.

Select job(s).					
All Jobs	-	User ID	Date	Time	File Name
	10	Triabom	Aug. 21	02:30PM	
Jobs Per User ID	10	Mitrione	ALB, 21	02:20PM	
Complete List	10	Hinter	Aug. 21	02:19PM	
and the second second second		Mitrione	ALg. 21	01;46PM	Newslett
▲ Locked Print Job List		Mitrione	Aug. 21	01:45PM	Proposal
199 Sample Print Job List	Ð	Trinbom	Aug. 21	01:4994	Budget
🕒 Hold Print Job List	-				
😂 Stored Print Job List	ľ.				
Details	1			1/1	

Locked (Secure) Print lets users delay document printing until they enter a password at the device.

Choose the **1 x 500-Sheet Paper Bank** (optional) or a larger **2 x 500-Sheet Paper Bank (optional/shown)** which boosts paper capacity to 1,600 sheets. Up to five different paper sizes and orientations can be loaded for maximum flexibility.



Easily handle one- and two-sided originals up to 11" x 17" using the standard 50-Sheet Automatic Reversing Document Feeder.





Ricoh's energy-saving **PxP" toner** produces brilliant color output for your business documents.

A helpful and highly intuitive **8.5**" full-color LCD Control Panel with animated graphics simplifies a wide range of jobs.

Minimize paper replenishment time with **two standard front-loading Paper Trays** that hold 250 sheets each. A **standard Bypass Tray** holds an additional 100 sheets. All three trays accept a variety of paper types and weights.



Store up to 2,000 documents with a **standard Document Server**—a highly secure, virtual filing cabinet. Frequently used documents can be re-printed, re-faxed and re-distributed quickly and easily.



Dramatically reduce paper usage with standard automatic two-sided (duplex) output.

Sophisticated Features, Smart Investment

The Ricoh Aficio MP C2051/MP C2551 offers powerful features that are typically found on larger, more expensive systems. It's an affordable way to energize your document-related processes.

- Send scanned documents to any e-mail address at the touch of a key with Scan-to-Email. No dedicated servers or additional software are required.
- Save documents on a shared server for fast, easy distribution with a productive Scan-to-FTP feature. You can also send scanned documents to a local server for intelligent archiving with Scan-to-Folder.
- Scan or print documents directly from a USB memory device or SD memory card with Scan-to-Media. This makes document portability fast and easy.
- Reduce the file size of color documents with an easy-to-use High Compression JPEG 2000 PDF feature. This resolves the issue of large documents slowing down your network and the printing process.

Run Fast, Finish Strong

The system may be compact, but the paper handling is incredibly strong. Load the system with a wide variety of paper stocks and sizes, then use the internal finishing features to produce documents completely in-house.

- Produce professional and expertly finished documents without taking up excessive floor space. Both systems offer an internal finisher, which offers automatic stapling and optional 2- or 3-hole punching.
- Create spreadsheets, newsletters or other large documents on 11" x 17" paper using the copy or print functions.
- Push workgroup productivity to new heights with an ample paper supply. The system offers a total paper capacity up to 1,600 sheets, a standard 50-Sheet Automatic Reversing Document Feeder and up to five paper sources.
- Produce full-color or black & white postcards, posters and report covers on a variety of thick or unique paper stocks. Print onto envelopes directly from the envelope feeder tray or bypass tray.

Discover True System Versatility

The multi-functional power of the Ricoh Aficio MP C2051/ MP C2551 allows small offices and workgroups to add full-color capabilities and replace up to four separate devices with one versatile solution.

- Send fax documents quickly and easily with an optional Super G3 fax modem and 2,000 Quick Dials.
- Cut costs with advanced LAN, IP (T.38) and Internet (T.37) faxing technologies.

Simplified System Management

- Monitor and manage the Ricoh Aficio MP C2051/MP C2551 from a remote location using advanced Web tools. Administrators can view system details, settings and supply status from a standard Web browser.
- Optimize your most critical workflows with the Embedded Software Architecture[™], a Java-compatible Software Development Kit (SDK) that makes it easy to create unique system and network management applications.



Forward incoming faxes to an e-mail address or folder, so users can receive important documents no matter where they are.

Print Volume Use Limitation					
OK Cancel					
Machine Action When Limit is Reached					
Machine Action When Limit is Reached : Stop Job					
Print Volume Use Limitation: Unit Count Setting					
Copier					
Color : 200 (0-200)					
Black & White : 1 (0-200)					
Printer					
Color : 10 (0-200)					
Black & White : 1 (0-200)					
OK Cancel					

Set output limits and control costs on an individual or group level with the Quota Setting feature.



Minimize network congestion and transmit files more efficiently with Scan-to-URL. This feature stores documents on the Hard Disk Drive and allows recipients to view and download them from any Web browser.

QuickConnectedOptimizedIntegrated

Get Connected to Powerful Workflow Capabilities

The Ricoh Aficio MP C2051/MP C2551 are loaded with time-saving features that give end-users entirely new capabilities that allow them to work faster, smarter and more efficiently.

- Create full-color or black & white documents from a PDF or JPEG attachment by sending an e-mail directly to the system using the innovative Mail-to-Print feature.
- Save time and minimize network traffic with PDF Direct Print, a convenient capability that allows end-users to print PDFs without having to open them in Adobe[®] Acrobat[®].
- Charge specific print jobs to specific clients, workgroups or job numbers using the advanced but easy Classification Code feature.
- Connect any PictBridge[®]-enabled digital camera to the system and print brilliant, full-color photos in seconds.

Ricoh Managed Document Services

Ricoh's Managed Document Services (MDS) is a powerful way to streamline your document management environment. MDS enables control of output-related costs and assets and optimizes the fleet. Through on-site and off-site services, MDS improves workflow, productivity and end-user experiences.

- Control expenses with the Ricoh Aficio MP C2051/MP C2551, which provide a powerful combination of high-productivity, long-lasting reliability and low total cost of ownership (TCO).
- Consolidate copying, printing, scanning and document management into a single device, with a smaller footprint and one set of consumables.
- Place the right device for the right application with these systems and others —all part of our extensive line of Ricoh products.

Protect Documents, Data and Passwords

Select the following security features of the Ricoh Aficio MP C2051/MP C2551 to help you safeguard both printed and electronic documents.

- Provide strong lines of defense for sensitive information with the standard DataOverwriteSecurity System (DOSS). This robust security feature automatically overwrites the hard drive after each job. Standard HDD encryption lets you protect valuable data, even if the hard drive is stolen.
- Guard against unauthorized document viewing with encrypted PDF transmission. This feature encrypts PDF data prior to transmission via Scan-to-Email and Scan-to-Folder.
- Protect e-mail transmissions with advanced encryption technology and defend against unauthorized network interception with S/MIME (Secure/Multipurpose Internet Mail Extensions).
- Print color documents without worrying about costly overuse. Several levels of authentication let you confirm user identity and control access to color, scanning and other functions.



The Total Green Office Solution



Ricoh continues its longstanding commitment to developing office solutions with environmentally friendly and superior energy- and supply-saving features, without compromising productivity.



System Specifications

Max. Print Speed

Page Description

Network Protocols Fonts for PCL Fonts for PS3

Utilities

Scanning Speed Scan Area Scan Size Compression

Method

Scan Mode

Capacity Max. Stored Documents Max. Pages per

Type Circuit

Resolution

Scan Speed

Auto Dialing

Options

Memory Capacity

Additional Modes

Modem Speed

Document Max. Pages of all

Stored Documents

Fax Option Type C2551

Scan-to Modes Supported

Languages

MP C2051: 20-ppm BW & Full-Color;

compression); G3: Approx. 3 seconds/ page (w/MMR compression)

40 pages/minute (Standard Mode);

38 pages/minute (Detail Mode); 20 pages/minute (Super Fine Mode) 2,000 Quick Dials, 100 Group Dials

Maximum 28 MB (approx. 2,240 pages)

Internet Fax (T.37), IP Fax (T.38), LAN Fax,

Fax Forward to E-mail/Folder, LDAP Support,

Handset Type 1018, Memory Unit Type B 32MB (SAF Memory)

Detection of Misplaced Documents & Double Check Destination

Standard Interfaces 10Base-T/100Base-TX Ethernet (RJ-45),

Optional Interfaces IEEE 802.11a/b/g Interface Unit Type J, IEEE 1284 Interface Board Type A, Gigabit Ethernet Type B TCP/IP (IPv4, IPv6), IPX/SPX 45 Intellifonts, 13 International Fonts

136 Roman Network Operating Windows 2000/XP/Vista/7/Server 2003/ Systems Server 2008/Server 2008R2, Novell

¹For UNIX support, visit www.ricoh-usa.com/downloads

Scanner Specifications (Standard)

Document Server Specifications

Transmission Speed G3: Approx. 2 seconds/page (w/JBIG

(200 locations each)

4 MB (approx. 320 pages);

Down

Compression Method MH, MR, MMR, JBIG

Facsimile Specifications (Optional)

Sample/Hold/Stored and Locked Print, Classification Code, PANTONE[®] Color Palette, Black Over Print, CLP Simulation, PictBridge[™] Support, WSD Printer, Bonjour Support

Scanner Resolution From 100 to 600 dpi (1200 dpi for TWAIN);

Other Printer Features

Max. Print Resolution 1200 x 1200 dpi

1.0 . . .

General Specific	cations
Printing Process	Dry Electrostatic Transfer with Dry Dual
	Component Magnetic Brush Development
	System; 4-Drum Method
Output Speed	MP C2051: 20-ppm BW & Full-Color;
(Copy/Print)	MP C2551: 25-ppm BW & Full-Color
Warm-Up Time	Less than 22 seconds (from Power On)
First Conv Time	Less than 10 seconds (from Sleep Mode) Full-Color: 9.2 seconds; BW: 6.4 seconds
First Copy Time Copy Resolution	600 x 600 dpi
Document Feeder	Automatic Reversing Document Feeder
(Standard)	(ARDF)
Original Capacity	50 sheets
Paper Size	5.5" x 8.5" to 11" x 17"
Paper Weight	Simplex: 11 lb. to 34 lb. Bond
	(40 – 128 g/m ²);
	Duplex: 14 lb. to 28 lb. Bond
Exposuro Class	(52 – 105 g/m ²) Up to 11" x 17"
Exposure Glass Quantity Indicator	Up to 999 copies
Copy Size	Up to 11" x 17"
Input Capacity	Standard: 2 x 250 sheets +
1	100-Sheet Bypass Tray;
	Maximum: 1,600 sheets
Output Capacity	Standard: 500 sheets (Letter);
	250 sheets (Legal/Ledger);
	Maximum: 650 sheets (with 500-Sheet
	std. Exit Tray, 50-Sheet Side Tray and
Paper Sizes	100-Sheet One-Bin Tray) Standard Tray 1 and Tray 2: 7.25" x 10.5"
Taper Sizes	to 11" x 17";
	Custom Sizes (Tray 1 and Tray 2): 7.17 " x
	5.83" (182 x 148 mm) to 11.69" x 17"
	(297 x 432 mm);
	Bypass Tray: 5.83" x 3.55" to 23.62" x 12"
Develop Mainhete	(305 x 600 mm)
Paper Weights	Standard Tray #1: 16 – 68 lb. Bond/
	140 lb. Index (60 – 256 g/m²); Standard Tray #2: 16 – 45 lb. Bond/
	90 lb. Index (60 – 169 g/m ²);
	Bypass Tray: 14 – 68 lb. Bond/140 lb. Index
	(52 – 256 g/m ²);
	Duplex Unit: 16 – 28 lb. Bond
	(60 – 105 g/m ²)
Paper Types	Plain paper, laser printer qualified
Auto Duploy	transparencies, labels and envelopes Standard
Auto Duplex Zoom Preset	25% – 400% in 1% increments; 93%,
Reduction and	85%, 78%, 73%, 65%, 50%, 25% and
Enlargement Ratios	400%, 200%, 155%, 129%, 121%
Dimensions (WxDxH)) 23.2" x 26.7" x 33.3"
	(587 x 676 x 845 mm)
Weight	220.5 lbs. (100 kg)
Power Requirements	
Power Consumptior TEC Value*	MP C2051: 1.00kWh
TEC value"	MP C2051: 1.00kWh MP C2551: 1.27kWh
	IVII C2001. 1.2/NVVII

*Tested in accordance with US EPA TEC Test Procedure

Other Copier Features

Auto Color Selection (ACS), Auto/Manual Density Control, Copy Mode – Photo Type Selection (Printed, Glossy, & Copied Photo), Combine Mode, Shift/Erase/Margin, Cover/Slip/Chapter Sheets, Color Creation Modes, Image Creation Modes, Stamps/Numbering, Color Adjustment, Image Adjustment, Image Rotation, Job Program (10), User Codes (500), Job Preset (8), Sample Copy, Batch Mode, Quota Settings & SADF Mode

Security Specifications

Standard DataOverwriteSecurity Unit (DOSS) Type I -Security feature that overwrites latent data on the system's hard drive after copy, scan, fax and print jobs.

Standard HDD Encryption Unit Type A – This function encrypts the system's hard drive using 256 bits (AES) to protect against data theft.

Other Security Features - SNMP v3 and Data Encryption (password/address book); Locked (Secure) Print; User Codes; Basic Authentication; WPA (Wi-Fi Protect Access Support); IPsec Communication; Windows/LDAP/Kerberos Authentication; 802.1x Wired Authentication; SSL Communication; SSL over SMTP; S/MIME; Network Protocol On/Off; IP Filtering (Access Control) and more

Print Controller (Standard)

CPU	Mobile Intel Celeron Processor @ 600MHz
Memory	1.5 GB RAM (Maximum) & 160 GB HDD
-	Standard (Shared)

SICOF www.ricoh-usa.com

Americas Corporation, Five Dedrick Place, West Caldwell, NJ 07006

Next interface Corporation, the beautic strate, west calorine, to orotoo Rech² and the Ricch Logo are registered trademarks of Ricch Company, Ltd. All other trademarks are the property of their respective owners. The content of this document, and the appearan features and specifications of Ricch products and services are subject to change from time to time without notice. Products are shown with optional features. While care has been taken to ensu-accuracy of the information, Ricch makes no representation or warranties about the accuracy, completeness or adequacy of the information contained herein, and shall not be liable for any err omissions in these materials. Actual results will vay depending upon use of the products and services, and the conditions and factors affecting performance. The only warranties for Ricch prod and services are as set forth in the express warranty statements accompanying them.

Hardware Accessories

IVIP C2051. 20-ppm BW & Full-Color,	Hardware Accessories				
MP C2551: 25-ppm BW & Full-Color	Paper Feed Unit (PB3070)				
PCL5c, PCL6, XPS; Genuine Adobe® PostScript®3™ (Optional), Includes PDF	Paper Capacity	500 sheets x 1 Tray			
Direct Print	Paper Sizes	7.25" x 10.5" to 11" x 17"			
n 1200 x 1200 dpi	Paper Weights	16 – 28 lb. Bond (60 – 105 g/m ²)			
10Base-T/100Base-TX Ethernet (RJ-45),	Dimensions (WxDxH)				
USB 2.0/SD Slot, USB 2.0 Host I/F		(550 x 520 x 137 mm)			
IEEE 802.11a/b/g Interface Unit Type J,	The Caster Table is required with the 500 x 1 Paper Feed Unit (PB3070). Paper Feed Unit (PB3030) ¹				
IEEE 1284 Interface Board Type A,					
Gigabit Ethernet Type B	Paper Capacity 500 sheets x 2 Trays				
TCP/IP (IPv4, IPv6), IPX/SPX	Paper Sizes	7.25" x 10.5" to 11" x 17"			
45 Intellifonts, 13 International Fonts	Paper Weights	16 – 28 lb. Bond (60 – 105 g/m ²)			
136 Roman		21.7" x 20.5" x 10.7"			
		(550 x 520 x 271 mm)			
Windows 2000/XP/Vista/7/Server 2003/ Server 2008/Server 2008R2, Novell	Cabinet Type FAC431				
NetWare 3.12,3.2,4.1,4.11,5.0,5.1,6,6.5					
or later, UNIX ¹ filters for Sun Solaris,	Envelope Feeder Tray (EF3010)				
HP-UX, SCO OpenServer, RedHat Linux,	Paper Sizes	5.5" x 8.5" to 11" x 17"			
and IBM AIX, MAC OS X v10.2 or later;		Com10, Monarch, C5, C6 DL			
SAP R/3, NDPS Gateway, IBM iSeries		Envelope			
AS/400 using OS/400 Host Print Transform	Paper Weight	14 – 68 lbs. Bond (60 – 256 g/m ²)			
SmartDeviceMonitor for Admin and	Paper Capacity	250 sheets (8.5" x 11" to 11" x 17")			
Client, Web SmartDeviceMonitor,		150 sheets (5.5" x 8.5")			
Web Image Monitor		Approximately 40 envelopes			
ww.ricoh-usa.com/downloads.		(depending on envelope thickness/quality)			
www.ncon-usa.com/uownloaus.	Internal 500-Sheet F	inisher Type C2550			
eatures	Paper Weights	14 – 34 lb. Bond (52 – 128 g/m ²)			
Ind Locked Print, Classification Code,	Stack Capacity	500 sheets (8.5" x 11")			
tte, Black Over Print, CLP Simulation,		250 sheets (8.5" x 14" or larger)			
WSD Printer, Bonjour Support	Staple Capacity	50 sheets (8.5" x 11")			
vob militer, bonjour support		30 sheets (8.5" x 14" or larger)			
cations (Standard)	Staple Paper Sizes	7.25" x 10.5" to 11" x 17"			
From 100 to 600 dpi (1200 dpi for TWAIN);	Staple Positions	Landscape: Top Left Corner, Bottom Left			
Default Setting: 200dpi		Corner, 2-Top Sided, and 2-Left Sided;			
44-ipm BW; 44-ipm Full-Color		Portrait: Top Left Corner, Bottom Left			
(@200 dpi via ARDF)		Corner, 2-Top Sided, and 2-Left Sided			
Main Scan: 11.7" (297 mm),	Dimensions (WxDxH)				
Sub Scan: 17" (432 mm)	(495 x 525 x 214 mm)				
Contact Glass: 11" x 17", 8.5" x 14",	2/3-Hole Punch Unit Option (PU3010NA) available for Internal Finisher.				
8.5" x 11", 5.5" x 8.5"	Internal Shift-Sort T	ray (SH3030)			
BW: TIFF (MH, MR, MMR), Grayscale;	Paper Sizes	5.5" x 8.5" to 12" x 18"			
Full-Color: JPEG	Paper Capacity	250 sheets			
Standard: BW Text/Line Art, BW Text,	Paper Weights	14 – 68 lb. Bond/140 lb. Index			
BW Text/Photo, BW Photo, BW Grayscale,		(52 – 256 g/m ²)			
FC Text/Photo, FC Photo	Dimensions (WxDxH)	16.9" x 18.8" x 4.2"			
Scan-to-Email (with LDAP support);		(431 x 477.5 x 107 mm)			
Scan-to-Folder (SMB/FTP/NCP); Scan-to-URL;		nner One-Bin Tray cannot be installed with the			
Network TWAIN Scanning; Scan-to-Media	500-Sheet Internal Finishe	r.			
(USB/SD, optional); WSD Scanner (for Vista)	Inner One-Bin Tray ((BN3060)			
	Paper Sizes	5.5" x 8.5" to 11" x 17"			
er Specifications	Bin Capacity	100 sheets			
160 GB (shared with other functions)	Paper Weights	16 – 28 lb. Bond (60 – 105 g/m ²)			
2,000 documents	Dimensions (WxDxH)				
		(429 x 497 x 113 mm)			
1,000 pages	Side Tray Type C255	0			
	Paper Sizes	5.5" x 8.5" to 11" x 17"			
6,000 Pages	Paper Capacity	50 sheets			
-	Paper Weights	16 – 28 lb. Bond (60 – 105 g/m ²)			
	Dimensions (WxDxH)				
fications (Optional)		(480 x 480 x 170 mm)			
551	¹ Please note either the Cal	binet Stand or one of the paper options must			
ITU-T (CCITT) G3	be installed.	enter etand of one of the paper options must			
PSTN, PBX					
200 x 100 dpi, 200 x 200 dpi, 400 x	Additional Acce	ssories			
400 dpi (with optional SAF memory)	Caster Table Type B. P	ostScript3 Unit Type C2551, Camera			
33.6K – 2,400bps with Automatic Shift	Direct Print Card Type I, Key Counter Bracket Type H, File Format				
Down	Converter Type F. Optional Counter Interface Unit Type A.				

Converter Type E, Optional Counter Interface Unit Type A, USB 2.0/SD Slot Type G, Handset Type 1018, IEEE802.11 a/b/g Wireless Interface Type J, HotSpot Printing, and more

Consumables³

Black Toner 10K Cartridge Cyan, Magenta & 5.5K or 9.5K Yellow Toner Cartridge

*Toner yields based on 5% coverage.

For maximum performance and yield, we recommend using genuine Ricoh parts and supplies

